
Serial No. 10/028,040 Group No. 1765 Confirmation No. 2997

CRC Handbook of Chemistry and Physics

A Ready-Reference Book of Chemical and Physical Data



Editor-in-Chief

Robert C. Weast, Ph.D.

Editor

David R. Lide, Ph.D.

Associate Editors

Melvin J. Astle, Ph.D. William H. Beyer, Ph.D.



CRC Press, Inc. Boca Raton, Florida



°1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989 by CRC Press, Inc.

©1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973 by THE CHEMICAL RUBBER CO. Copyright 1918, 1920 by The Chemical Rubber Company (Copyright renewed 1946, 1948 by Chemical Rubber Publishing Company)

Copyright 1922 (Copyright renewed 1950). 1925 (Copyright renewed 1953), 1926 (Copyright renewed 1954). 1927 (Copyright renewed 1955), 1929 (Copyright renewed 1957), 1936, 1937 (Copyright renewed 1965 by The Chemical Rubber Co.), 1939, 1940 (Copyright renewed 1968 by the Chemical Rubber Co.). 1941 (Copyright renewed 1969 by The Chemical Rubber Co.). 1942 (Copyright renewed 1970 by The Chemical Rubber Co.), 1943 (Copyright renewed 1971 by The Chemical Rubber Co.), 1944 (Copyright renewed 1972 by The Chemical Rubber Co.), 1945 (Copyright renewed 1973 by The Chemical Rubber Co.), 1947, 1949. 1950, 1951, 1952 (Copyright renewed 1980 by CRC Press, Inc.). 1953 (Copyright renewed 1981a by CRC Press, Inc.). 1954 (Copyright renewed 1982 by CRC Press, Inc.), 1955 (Copyright renewed 1983 by CRC Press, Inc.), 1956 by Chemical Rubber

01957, 1958, 1959, 1960. 1962 by Chemical Rubber Publishing Company

All Rights Reserved Library of Congress Card No. 13-11056 PRINTED IN U.S.A. ISBN-0-8493-0470-9

Han Vea pace and a gener were held c Re: chemi outgro on sem interes edition. Апо very fer degrees near the benefit f substanc supercor semicon Once aga of the res New a Handboo the atomic

time

В

The Inte The enti

compound

weights fc weights of

previous in

recalculati

Compound

the section

Some of

exclusive

Some of Diffusivit

Diffusivit Table of I

CONVERSION FORMULAE FOR SOLUTIONS HAVING CONCENTRATIONS EXPRESSED IN VARIOUS WAYS

Weight per cent of solute
 Molecular weight of solute
 Molecular weight of solute
 Grams of solute per liter of solution

her

her

of Reager

to [OH

G = Molality
M = Molarity
N = Mole fraction
R = Density of solution grams per cc

Concentration of	Concentration of solute—GIVEN					
SOUGHT	A	N	G	M	F	
Α	_	$\frac{100N \times E}{N \times E + (1 - N)B}$	100G × E 1000 + G × E	M×E 10R	F 10R	
N	$\frac{\frac{A}{E}}{\frac{A}{E} + \frac{100 - A}{B}}$	_	B X G B X G + 1000	$\frac{B \times M}{M(B - E) + 1000R}$	B × F F(B - E) + 1000R × F	
G	1000A E(100 - A)	1000N B - N × B	_	1000M 1000R - (M × E)	1000F E(1000R - F)	
М	10R × A E	1000R X N N X E + (1 - N)B	1000R × G 1000 + E × G	_	F E	
F	10AR	1000R X N X E N X E + (1 - N)B	1000R × G × E 1000 + G × E	M×E	-	

ELECTROCHEMICAL SERIES

Petr Vanýsek

There are three tables for this Electrochemical Series. Each table lists standard reduction potentials, E° values, at 298.15 K (25°C), and at a pressure of 101.325 kPa (1 atm.). Table 1 is an alphabetical listing of the elements according to the symbols for the elements. Thus, data for Silver (Ag) precedes those for Aluminum (Al). Table 2 lists only those reduction reactions which have E° values positive to the potential of the Standard Hydrogen Electrode. In Table 2, the reactions are listed in the order of increasing positive potential and range from 0.000 V to +3.053 V. Table 3 lists only those reduction reactions which have E° values negative to the potential of the Standard Hydrogen Electrode. In Table 3, reactions are listed in the order of increasing negative potential and range from -0.017 to -4.10 V.

Table 1 AI PHARETICAL LISTING

•	ALPHABEII	CAL LISTING	
Reaction	E°, V	Reaction	E°, V
Ag⁺ + e ⇌ Ag	0.7996	$Ag_2WO_4 + 2e \rightleftharpoons 2Ag + WO_4^{2-}$	0.4660
Ag²+ + e ⇌ Ag+	1.980	$Al^{3+} + 3e \rightleftharpoons Al$	-1.662
$Ag(ac) + e \rightleftharpoons Ag + (ac)^{-1}$	0.643	$H_2AIO_7 + H_2O + 3e \rightleftharpoons AI + 4OH$	-2.33
AgBr + e = Ag + Br	0.07133	$AlF_6^{2-} + 3e \rightleftharpoons Al + 6F$	-2.069
$gBrO_3 + e \rightleftharpoons Ag + BrO_3^-$	0.546	$As + 3H^+ + 3e \Rightarrow AsH_*$	-0.608
$8C_2O_4 + 2 e = 2Ag + C_2O_4^2$	0.4647	$As_2O_3 + 6 H^+ + 6 e \rightleftharpoons 2 As + 3 H_2O$	0.234
gCl + e = Ag + Cl-	0.22233	$HAsO_2 + 3 H^+ + 3 e \rightleftharpoons As + 2 H_2O$	0.248
gCN + e = Ag + CN-	-0.017	$AsO_2^- + 2 H_2O + 3 e \rightleftharpoons As + 4 OH^-$	- 0.68
$2^{\circ}_{3}CO_{3} + 2 e = 2 \text{ Ag} + CO_{3}^{2}$	0.47	$H_3AsO_4 + 2 H^4 + 2 e^- \rightleftharpoons HAsO_2 + 2 H_3O$	0.560
$CrO_4 + 2e \rightleftharpoons 2 Ag + CrO_4^2$	0.4470	$AsO_{2}^{3-} + 2 H_{2}O + 2 e \rightleftharpoons AsO_{7}^{7} + 4 OH^{-}$	-0.71
F + c = Ag + F	0.779	Au⁺ + e ⇌ Au	1.692
$[Fe(CN)_e] + 4 e = 4 Ag + [Fe(CN)_e]^{e}$	0.1478	$Au^{3+} + 2e \rightleftharpoons Au^{+}$	1.401
MA: T C == A Ø + I"	- 0.15224	$Au^{3+} + 3e \rightleftharpoons Au$	1.498
10 , $+ c \Rightarrow Ag + 10$	0.354	$AuBr_2^- + e \rightleftharpoons Au + 2 Br^-$	0.959
$\mathbf{P}_{\mathbf{q}}^{\mathbf{M}_{\mathbf{q}}}$ + 2 c \rightleftharpoons 2 Ag + MoO ²	0.4573	$AuBr_4^- + 3 e \rightleftharpoons Au + 4 Br_4^-$	0.854
$0 + c = Ag + NO_2$	0.564	$AuCl_{\bullet}^{-} + 3e \rightleftharpoons Au + 4Cl_{\bullet}^{-}$	1.002
$\frac{1}{2} + \frac{1}{12}O + 2e = 2 \text{ Ag} + 2 \text{ OH}^2$	0.342	$Au(OH)_3 + 3 H^+ + 3 e \rightleftharpoons Au + 3 H_2O$	1.45
$+ H_0O + 2e \rightleftharpoons 2 AgO + 2 OH$	0.739	$H_2BO_3^- + 5 H_2O + 8 e \Rightarrow BH_4^- + 8 OH^-$	-1.24 .
$+ H_2O + 2 e \rightleftharpoons Ag_2O + 2 OH$ $+ e \rightleftharpoons Ag + OCN$	0.607	$H_2BO_3^- + H_2O + 3e \rightleftharpoons B + 4OH^-$	-1.79
2 e = 2 Ag + S ^{>}	0.41	$H_3BO_3 + 3 H^+ + 3 e \rightleftharpoons B + 3 H_2O$	- 0.8698
$2 H^{+} + 2 e = 2 Ag + H2S$	-0.691	$Ba^{2+} + 2e \rightleftharpoons Ba$	-2.912
e = Ag + SCN	-0.0366	$Ba^{2+} + 2e \rightleftharpoons Ba(Hg)$	-1.570
$\frac{1}{2} + 2 c = 2 \text{ Ag} + \text{SeO}_4^2$	0.08951 0.3629	$Ba(OH)_2 + 2e \Rightarrow Ba + 2OH$	-2.99
$2 c = 2 Ag + SO^2$		Be ² * + 2 e = Be	-1.847
- 1.6 F 304	0.654	$Be_2O_3^{2-} + 3 H_2O + 4 e \rightleftharpoons 2 Be + 6 OH^{-}$	- 2.63
eg .			

Table 1 (continued) ALPHABETICAL LISTING

A	ALPHABETICAL LISTING			
Reaction	E°, V	Reaction		
p-benzoquinone + 2 H ⁺ + 2 e ⇌	0.6992	$Co^{3+} + e \rightleftharpoons Co^{2+} (2 \text{ mol/} \ell H_2SO_4)$		
hydroquinone		$[Co(NH_3)_6]^{3+} + e \rightleftharpoons [Co(NH_3)_6]^{2+}$		
BiCl ₂ + 3 e = Bi + 4 Cl ²	0.16	$Co(OH)_2 + 2e \rightleftharpoons Co + 2OH$		
$Bi_{2}O_{3} + 3 H_{2}O + 6 e \rightleftharpoons 2 Bi + 6 OH^{-}$	-0.46	$Co(OH)_3 + e \rightleftharpoons Co(OH)_2 + OH^-$		
$Bi_2O_4 + 4 H^+ + 2 e \rightleftharpoons 2 BiO^+ + 2 H_2O$	1.593	$CO_2 + 2 H^+ + 2 e \rightleftharpoons HCOOH$		
$BiO^+ + 2 H^+ + 3 e \rightleftharpoons Bi + H_2O$	0.320	$Cr^{2+} + 2e \rightleftharpoons Cr$		
$BiOC1 + 2 H^+ + 3 e \rightleftharpoons Bi + Cl^- + H_2O$	0.1583	$Cr^{3+} + e \rightleftharpoons Cr^{2+}$		
$Br_2(aq) + 2e \rightleftharpoons 2Br^-$	1.0873	Cr^{3} + 3 e \rightleftharpoons Cr		
$Br_2(1) + 2e \rightleftharpoons 2Br$	1.066	$Cr_2O_7^{-} + 14 H^+ + 6 e \rightleftharpoons 2 Cr^{3+} + 7 H_2O$		
$HBrO + H^+ + 2 e \rightleftharpoons Br^- + H_2O$	1.331	$CrO_7 + 2 H_2O + 3 e \rightleftharpoons Cr + 4 OH^-$		
$HBrO + H^+ + e \rightleftharpoons 1/2Br_2(aq) + H_2O$	1.574	$HCrO_4^{2-} + 7 H^+ + 3 e \rightleftharpoons Cr^{3+} + 4 H_2O$		
$HBrO + H^{+} + e \rightleftharpoons 1/2Br_{2}(\ell) + H_{2}O$	1.596	$CrO_4^- + 4 H_2O + 3 e \rightleftharpoons Cr(OH)_3 + 5 OH^-$		
$BrO^- + H_2O + 2e \rightleftharpoons Br^- + 2OH^-$	0.761 1.482	$Cr(OH)_3 + 3 e \rightleftharpoons Cr + 3 OH$		
$BrO_{3}^{-} + 6 H^{+} + 5 e \rightleftharpoons 1/2Br_{2} + 3 H_{2}O$		$Cs^+ + e \rightleftharpoons Cs$		
$BrO_3^- + 6 H^+ + 6 e \rightleftharpoons Br^- + 3 H_2O$	1.423	Cu ⁺ + e = Cu ,		
$BrO_3^- + 3 H_2O + 6 e \rightleftharpoons Br^- + 6 OH^-$	0.61	$Cu^{2+} + e \rightleftharpoons Cu^{+}$		
Ca ⁺ + e ⇌ Ca	-3.80	$Cu^{2+} + 2e \rightleftharpoons Cu$ $Cu^{2+} + 2e \rightleftharpoons Cu(Hg)$		
$Ca^{2+} + 2e \rightleftharpoons Ca$	-2.868	$Cu^{2+} + 2CN^{-} + e \rightleftharpoons [Cu(CN)_2]^{-}$		
Calomel electrode, I molal KCI	0.2800 0.2801	$Cul_{1}^{-} + e \rightleftharpoons Cu + 2\Gamma$		
Calomel electrode, 1 mol/l KCl (NCE)	0.3337	$Cu_2O + H_2O + 2e \rightleftharpoons 2Cu + 2OH$		
Calomel electrode, 0.1 mol/ℓ KCl Calomel electrode, saturated KCl (SCE)	0.2412	$Cu(OH)_2 + 2e \rightleftharpoons Cu + 2OH$		
Calomel electrode, saturated NaCl (SSCE)	0.2360	$2 \text{ Cu(OH)}_2 + 2 \text{ c} \rightleftharpoons \text{Cu}_2\text{O} + 2 \text{ OH}^{-} + \text{H}_2\text{O}$		
$Ca(OH)_2 + 2e \rightleftharpoons Ca + 2OH$	-3.02	$D^+ + e = 1/2D_2$		
$Cd^{2^{+}} + 2e \rightleftharpoons Cd$	-0.4030	$2 D^{*} + 2 e \rightleftharpoons D_{2}$		
$Cd^{2+} + 2 e \rightleftharpoons Cd(Hg)$	-0.3521	Eu²+ + 2 e Eu		
$Cd(OH)_2 + 2 e \rightleftharpoons Cd(Hg) + 2 OH$	-0.809	Eu ³⁺ + 3 e = Eu		
$CdSO_4 + 2 e \rightleftharpoons Cd + SO_4^{2-}$	-0.246	$Eu^{3+} + e \rightleftharpoons Eu^{2+}$		
Ce ³⁺ + 3 e = Ce	-2.483	$F_2 + 2 H^+ + 2 e \rightleftharpoons 2 HF$		
$Ce^{3+} + 3e \rightleftharpoons Ce(Hg)$	-1.4373	$F_2 + 2e \rightleftharpoons 2F$		
Ce ⁴⁺ + e ⇌ Ce ³⁺	1.61	$F_2O + 2 H^+ + 4 e \rightleftharpoons H_2O + 2 F$		
$CeOH^{3+} + H^{+} + e \rightleftharpoons Ce^{3+} + H_2O$	1.715	$Fe^{2+} + 2e \rightleftharpoons Fe$		
$Cl_2(g) + 2e \rightleftharpoons C\Gamma$	1.35827	Fe³+ + 3 c ≠ Fe Fe³+ + c ≠ Fe²+		
$HCIO + H^+ + e \rightleftharpoons 1/2Cl_2 + H_2O$	1.611	$[Fe(CN)_6]^{3^{-}} + e \rightleftharpoons [Fe(CN)_6]^{4^{-}}$		
$HCIO + H^+ 2 e \rightleftharpoons CI^- + H_2O$	1.482 0.81	$FeO_2^{4-} + 8 H^+ + 3 e \rightleftharpoons Fe^{3+} + 4 H_2O$		
$ClO^- + H_2O + 2e \rightleftharpoons Cl^- + 2OH^-$	1.277	$Fe(OH)_3 + e \Rightarrow Fe(OH)_2 + OH^-$		
$CIO_2 + H^+ + e \rightleftharpoons HCIO_2$ $HCIO_3 + 2 H^+ + 2 e \rightleftharpoons HCIO + H_2O$	1.645	$[Fe(phenanthroline)3]3+ + e \rightleftharpoons [Fe(phen)3]2+$		
$HClO_2 + 2H + 2e = HclO + H_2O$ $HClO_3 + 3H^3 + 3e = 1/2Cl_2 + 2H_2O$	1.628	$[Fe(phen)_3]^{3+} + e \rightleftharpoons [Fe(phen)_3]^{2+} (1 \text{ mol/}\ell)$		
$HClO_2 + 3 H^+ + 4 e \rightleftharpoons C\Gamma + 2 H_2O$	1.570	H ₂ SO ₄)		
$ClO_2^- + H_2O + 2e \rightleftharpoons ClO^- + 2OH^-$	0.66	[Ferricinium] + e ferrocene		
$CIO_{2}^{-} + 2 H_{2}O + 4 e = C\Gamma + 4 OH^{-}$	0.76	$Ga^{3+} + 3e \rightleftharpoons Ga$		
$ClO_{2}(aq) + e \rightleftharpoons ClO_{2}^{-}$	0.954	$H_2GaO_3 + H_2O + 3e \rightleftharpoons Ga + 4OH$		
$ClO_3^- + 2 H^+ + e \rightleftharpoons ClO_2 + H_2O$	1.152	$Ge^{2+} + 2e \rightleftharpoons Ge$		
$ClO_{1}^{-} + 3 H^{+} + 2 e \rightleftharpoons HClO_{2} + H_{2}O$	1.214	$Ge^{4+} + 4e \rightleftharpoons Ge$		
•	1.47	$Ge^{4+} + 2e \rightleftharpoons Ge^{2+}$		
$ClO_3^- + 6 H^+ + 5 e \rightleftharpoons 1/2Cl_2 + 3 H_2O$	1.451	$GeO_2 + 2 H^4 + 2 e \rightleftharpoons GeO + H_2O$		
ClO ₅ + 6 H ⁺ + 6 e = Cl + 3 H ₂ O	0.33	$H_2GeO_3 + 4 H^+ + 4 e \rightleftharpoons Ge + 3 H_2O$ 2 H ⁺ + 2 e \Rightarrow H_2		
$ClO_3^- + H_2O + 2e \rightleftharpoons ClO_2^- + 2OH^-$		$H_1 + 2e \rightleftharpoons 2H$		
$ClO_3^- + 3 H_2O + 6 e \rightleftharpoons Cl^- + 6 OH^-$	0.62	$HO_2 + H^2 + e \Rightarrow H_2O_2$		
$ClO_4^- + 2 H^+ + 2 e \rightleftharpoons ClO_3^- + H_2O$	1.189	$2 H_2O + 2 e \rightleftharpoons H_2 + 2 OH^-$		
$CIO_4^- + 8 H^+ + 7 e \rightleftharpoons 1/2CI_2 + 4 H_2O$	1.39	$H_1O_2 + 2 H^+ + 2 e \rightleftharpoons 2 H_2O$		
$CIO_{\bullet}^{\bullet} + 8 \text{ H}^{\bullet} + 8 \text{ e} \rightleftharpoons C\Gamma + 4 \text{ H}_{2}O$	1.389	$HfO^{2+} + 2 H^{+} + 4 e \rightleftharpoons Hf + H_{2}O$		
$CIO_4^- + H_2O + 2 e \rightleftharpoons CIO_5^- + 2 OH^-$	0.36	$HiO_2 + 4 H^* + 4 e \rightleftharpoons Hf + 2 H_2O$		
$(CN)_2 + 2 H^+ + 2 e \rightleftharpoons 2 HCN$	0.373	$HfO(OH)_1 + H_2O + 4e \rightleftharpoons Hf + 4OH$		
$2 \text{ HCNO} + 2 \text{ H}^+ + 2 \text{ e} \rightleftharpoons (\text{CN})_2 + 2 \text{ H}_2\text{O}$	0.330	Hg ²⁺ + 2 e		
$(CNS)_2 + 2 e \rightleftharpoons 2 CNS^-$	0.77	$2 Hg^{2+} + 2 e \rightleftharpoons Hg_2^{2+}$		
$Co^{2+} + 2e \rightleftharpoons Co$	-0.28	$Hg_2^{2^*} + 2e \rightleftharpoons 2Hg$		

 $(Hg_2(ac)_2 + 2e \rightleftharpoons 2 Hg$ Hig.Br. + 2 e = 2 Hg + Hg,Cl, + 2 e = 2 Hg + Hg₂HPO₄ + 2 c = 2 Hg Hg₂I₂ + 2 e = 2 Hg + Hg₂O + H₂O + 2 e **=** : $H_{gO} + H_{zO} + 2 e \rightleftharpoons F$ $H_{g_{z}SO_{4}} + 2 e \rightleftharpoons 2 Hg$ $L_1 + 2e = 2\Gamma$ $\Gamma_{ij} + 2e = 3\Gamma$ H,IO, + 2 e = IO, + H,10 + H+ + 2 e = 1 12 HIO + 2 H+ + 2 e = HIO + H+ + 2 e ⇌ Γ 10" + H₂O + 2 e ≠ Γ V 2 10, + 12 H+ + 10 e 7.10, + 6 H+ + 6 c = 1 × 10, + 2 H₂O + 4 c = 10; + 3 H2O + 6 c = In⁺ + e ⇌ In ln2+ + e = ln+ ln³* + e ⇌ ln²* In3+ + 2 e = In+ In³+ + 3c = In $h^{3+} + 3e \rightleftharpoons hr$ $[lrCl_a]^F + e \rightleftharpoons [lrCl_a]^F$ $[lrCl_a]^F + 3e \rightleftharpoons lr + r$ Ir₂O₃ + 3 H₂O + 6 e = : K+ e = K La³⁺ + 3 e ≠ La La(OH), + 3 e = La + Li⁺ + e = Li $Mg^+ + e \rightleftharpoons Mg$ $Mg^{2+} + 2 e \rightleftharpoons Mg$ $Mg(OH)_2 + 2 e \rightleftharpoons Mg$ $Mn^{2+} + 2e \rightleftharpoons Mn$ $Mn^{3+} + 3 \rightleftharpoons Mn^{2+}$ MnO2 + 4 H+ + 2 c = $MnO_4^- + e \rightleftharpoons MnO_4^{2-}$ MnO+ + 4 H+ + 3 e: MnO₄ + 8 H + 5 e : $MnO_4^- + 2 H_2O + 3 e$ $MnO_4^{2-} + 2 H_2O + 2 \epsilon$ $Mn(OH)_2 + 2 e \rightleftharpoons Mn$ $Mn(OH)_3 + e \rightleftharpoons Mn(O$ Mo³⁺ + 3 e **≃** Mo N₂ + 2 H₂O + 6 H+ -3 N₂ + 2 H+ + 2 e = N; + 3 H+ 2 e = : N₂O + 2 H⁺ + 2 e = $H_2N_2O_2 + 2H^4 + 2e$ $N_2O_4 + 2 e \rightleftharpoons 2 NO_2$ $N_2O_4 + 2 H^+ + 2 e =$ N2O4 + 4 H+ + 4 e = 2 NH₂OH+ H+ + 2 2 NO + 2 e = N2O2-1 2 NO + 2 H+ + 2 e = 2 NO + H2O + 2 e =

-0.080

-0.003

-0.044

-3.395

-0.36

3.053

2.15

-0.447

-0.037

2.20

-0.560 -1.219

0.24

0.12

0.00

- 0.11数

-0.182

- 2.23

-0.827

1.495

0.0000

Table 1 (continued) ALPHABETICAL LISTING

E°, V 1.83 0.108 - 0.73 0.17 - 0.199 - 0.913 - 0.407 - 0.744

1.232 -1.2

1.350

0.153 0.3419 0.345 1.103 0.00

-0.360 -0.222 -0.080 -0.0034 -0.044 -3.395

-3.393 -2.407 -0.36 3.053 2.866 2.153 -0.447 -0.037

0.771 0.358 2.20

-0.56 1.14 1.06

-0.13 -1.48 -2.92 0.521

H₂O

₂O

OH

H₂O

0

Γ

Э

н

n)₃]²+ nol/ℓ

	ALPHABETICAL LISTING		
Reaction	E*, V	Reaction	E° V
$Hg_2(ac)_2 + 2e \rightleftharpoons 2 Hg + 2 (ac)^-$	0.51163	$HNO_2 + H^+ + c \rightleftharpoons NO + H_2O$	E°, V
$Hg_2Br_2 + 2e \rightleftharpoons 2Hg + 2Br$	0.13923	$2 \text{ HNO}_2 + 4 \text{ H}^+ + 4 \text{ e} \rightleftharpoons \text{H}_2\text{N}_2\text{O}_2 + 2 \text{ H}_2\text{O}$	0.983
$Hg_2Cl_2 + 2e \Rightarrow 2Hg + 2CT$	0.26808	$2 \text{ HNO}_2 + 4 \text{ H}^+ + 4 \text{ e} \rightleftharpoons N_2\text{O} + 3 \text{ H}_2\text{O}$	0.86 1.297
$_{1}$ $_{2}$ $_{3}$ $_{4}$ $_{2}$ $_{6}$ $_{2}$ $_{2}$ $_{4}$ $_{7}$ $_{1}$ $_{1}$ $_{2}$ $_{4}$ $_{1}$ $_{2}$ $_{3}$ $_{4}$ $_{4}$ $_{1}$ $_{4}$	0.6359	$NO_2^- + H_2O + 3 e \rightleftharpoons NO + 2 OH^-$	-0.46
$Hg_1I_1 + 2e \rightleftharpoons 2Hg + 2\Gamma$	- 0.0405	$2 \text{ NO}_{2}^{-} + 2 \text{ H}_{2}\text{O} + 4 \text{ e} \rightleftharpoons \text{N}_{2}^{2-} + 4 \text{ OH}^{-}$	
$H_{g_2}O + H_2O + 2 e \rightleftharpoons 2 H_g + 2 OH^-$ $H_gO + H_2O + 2 e \rightleftharpoons H_g + 2 OH^-$	0.123	$2 \text{ NO}_{2}^{-} + 3 \text{ H}_{2}\text{O} + 4 \text{ c} \rightleftharpoons \text{N}_{2}\text{O} + 6 \text{ OH}^{-}$	-0.18
$H_{2}SO_{4} + 2e \rightleftharpoons 2H_{2} + SO_{4}^{2}$	0.0977	$NO_3^- + 3 H^+ + 2 e \rightleftharpoons HNO_2 + H_2O$	0.15
$1, +2e \rightleftharpoons 2\Gamma$	0.6125	$NO_3^- + 4 H^+ + 3 e \rightleftharpoons NO + 2 H_2O$	0.934
$\frac{1}{1} + 2e \rightleftharpoons 3\Gamma$	0.5355	$2 \text{ NO}_3^- + 4 \text{ H}^+ + 2 \text{ e} \rightleftharpoons \text{N}_2\text{O}_4 + 2 \text{ H}_2\text{O}$	0.957
$\frac{1}{10}$ H ₃ IO ₆ + 2 e \Rightarrow IO ₇ + 3 OH	0.536	$NO_5 + H_2O + 2 e \rightleftharpoons NO_7 + 2 OH$	0.803
$H_3IO_6 + H^+ + 2e \rightleftharpoons IO_5^- + 3H_3O_5$	0.7	2 NOT + 2 H O + 2 - NO + 2 OH	0.01
$2 \text{ HIO} + 2 \text{ H}^* + 2 \text{ c} \rightleftharpoons \text{ I}_2 + 2 \text{ H}_2 \text{O}$	1.601	$2 \text{ NO}_3^- + 2 \text{ H}_2\text{O} + 2 \text{ e} \rightleftharpoons \text{N}_2\text{O}_4 + 4 \text{ OH}^-$ $\text{Na}^+ + \text{e} \rightleftharpoons \text{Na}^-$	-0.85
$HIO + H^+ + 2e \rightleftharpoons \Gamma + H_2O$	1.439	$Nb^{3+} + 3c \rightleftharpoons Nb$	-2.71
$10^{-} + H_2O + 2e \rightleftharpoons \Gamma + 2OH\Gamma$	0.987	$Nb_2O_3 + 10 \text{ H}^+ + 10 \text{ e} \rightleftharpoons 2 \text{ Nb} + 5 \text{ H}_2O$	-1.099
$2 10_{3}^{-} + 12 H^{+} + 10 e \rightleftharpoons I_{2} + 6 H_{2}O$	0.485 1.195	$Nd^{3+} + 3e \rightleftharpoons Nd$	-0.644
$10_3^- + 6 \text{H}^+ + 6 \text{e} \rightleftharpoons 1^- + 3 \text{H}_2\text{O}$	1.085	$Ni^{2+} + 2e \rightleftharpoons Ni$	-2.431 -0.257
$10^{\circ}_{1} + 2 \text{ H}_{2}\text{O} + 4 \text{ e} \rightleftharpoons 10^{\circ}_{1} + 4 \text{ OH}^{\circ}_{2}$		$Ni(OH)_2 + 2 e \Rightarrow Ni + 2 OH^-$	-0.72
$10_3^{-} + 3 \text{ H}_2\text{O} + 6 \text{ e} \rightleftharpoons \Gamma + 6 \text{ OH}^{-}$	0.15	$NiO_2 + 4 H^+ + 2 e \rightleftharpoons Ni^{2+} + 2 H_0$	1.678
$\ln^+ + e \rightleftharpoons \ln$	0.26	$NiO_2 + 2 H_2O + 2 e \rightleftharpoons Ni (OH)_2 + 2 OH$	~0.490
$\ln^{2+} + e \rightleftharpoons \ln^{+}$	-0.14	$Np^{-1} + 3e \rightleftharpoons Np$	-1.856
$\ln^{3+} + e \rightleftharpoons \ln^{2+}$	-0.40 -0.49	$Np^{4+} + e \rightleftharpoons Np^{3+}$	0.147
$\ln^{3+} + 2e \rightleftharpoons \ln^{+}$	-0.443	$NpO_2 + H_2O + H^+ + e \rightleftharpoons Np(OH)_3$	-0.962
$\ln^{3+} + 3e \rightleftharpoons \ln$	-0.3382	$O_2 + 2 H^+ + 2 e \rightleftharpoons H_2O_2$ $O_2 + 4 H^+ + 4 e \rightleftharpoons 2 H_2O$	0.695
ir³+ + 3 e ⇌ Ir	1.156	$O_2 + H_2O + 2 c \rightleftharpoons HO_2^- + OH^-$	1.229
$[\operatorname{lrCl}_{\epsilon}]^{r} + e \rightleftharpoons [\operatorname{lrCl}_{\epsilon}]^{r}$	0.8665	$O_2 + 2 H_2O + 2 e \rightleftharpoons H_2O_2 + 2 OH^-$	-0.076
$[lrCl_6]^r + 3e \rightleftharpoons lr + 6C\Gamma$	0.77	$O_2 + 2 H_2O + 4 e \rightleftharpoons 4 OH^-$	-0.146
$h_2O_3 + 3 H_2O + 6 e \rightleftharpoons 2 \text{ Ir} + 6 \text{ OH}$ $K^* + e \rightleftharpoons K$	0.098	$O_3 + 2 H^+ + 2 e = O_2 + H_2O$	0.401 2.076
$La^{3*} + 3c \rightleftharpoons La$	-2.931	$O_3 + H_2O + 2e \rightleftharpoons O_2 + 2OH^{-1}$	1.24
La(OH), + 3 e = La + 3 OH	-2.522	$O(g) + 2 H^+ + 2 e \rightleftharpoons H_2O$	2.421
b Li⁺ + e ⇌ Li	-2.90 -3.0401	OH + e ⇌ OH ¯	2.02
^{gro} Mg* + e ⇒ Mg	-2.70	$HO_2^- + H_2O + 2e \rightleftharpoons 3OH^-$	0.878
ec Mg ²⁺ + 2 e Mg	-2.372	$OsO_4 + 8 H^+ + 8 e \rightleftharpoons Os + 4 H_2O$	0.85
$Mg(OH)_1 + 2 c = Mg + 2 OH$	-2.690	$P(\text{red}) + 3 \text{ H}^+ + 3 \text{ e} \Rightarrow PH_3(g)$ $P(\text{white}) + 3 \text{ H}^+ + 3 \text{ e} \Rightarrow PH_3(g)$	-0.111
$E^{\epsilon}Mn^{2+} + 2e \rightleftharpoons Mn$	- 1.185	$P(\text{white}) + 3 \text{ H}^+ + 3 \text{ e} \rightleftharpoons PH_3(g)$ $P + 3 \text{ H}_2O + 3 \text{ e} \rightleftharpoons PH_3(g) + 3 \text{ OH}^-$	-0.063
$3\% Mn^{2+} + 3 \rightleftharpoons Mn^{2+}$	1.5415	$H_2PO_7 + e \rightleftharpoons P + 2OH^{\circ}$	-0.87
$MnO_2 + 4 H^+ + 2 e \rightleftharpoons Mn^{2+} + 2 H_2O$ $MnO_4^- + e \rightleftharpoons MnO_4^{2-}$	1.224	$H_3PO_2 + H^+ + 3e = P + 2 H_2O$	-1.82
$2 MnO_1^- + 4 H^+ + 3 e \rightleftharpoons MnO_2 + 2 H_2O$	0.558	$H_3PO_3 + 2 H^+ + 2 e \rightleftharpoons H_3PO_2 + H_2O$	-0.508
$MnO_1 + 8 H + 5 e = MnO_2 + 2 H_2O$	1.679	$H_3PO_3 + 3 H^+ + 3 e \rightleftharpoons P + 3 H_2O$	0.499 0.454
$MnO_1^- + 8 H^+ + 5 e \rightleftharpoons Mn^{2+} + 4 H_2O$	1.507	$HPO_3^{2-} + 2 H_2O + 2 e = H_2PO_2^{-} + 3 OH^{-}$	-1.65
$MnO_1 + 2 H_2O + 3 e = MnO_2 + 4 OH$	0.595	$HPO_3^{2-} + 2 H_2O + 3 e \rightleftharpoons P + 5 OH^{-}$	-1.71
$MnO_2^{-} + 2 H_2O + 2 e = MnO_2 + 4 OH^{-}$	0.60	$H_3PO_4 + 2 H^+ + 2 e \rightleftharpoons H_3PO_3 + H_2O$	-0.276
$M_{\rm D}(OH)_2 + 2 e \rightleftharpoons M_{\rm D} + 2 OH$	- 1.56	$PO_4^{3-} + 2 H_2O + 2 e \rightleftharpoons HPO_3^{3-} + 3 OH^{-}$	-1.05
$Mn(OH)_3 + c = Mn(OH)_2 + OH^2$ $Mo^{3} + 3 e = Mo$	0.15	$Pb^{2+} + 2e \rightleftharpoons Pb$	-0.1262
1 + 2 H ₂ O + 6 H+ + 6 a - 2 NIII OII	-0.200	$Pb^{2+} + 2e \rightleftharpoons Pb(Hg)$	-0.1205
\mathbf{r}_{1}	0.092 3.09	$PbBr_2 + 2e \Rightarrow Pb + 2Br^-$	-0.284
M# T 3 H + 2 e ⇒ 2 NH+	1.275	$PbCl_2 + 2e \rightleftharpoons Pb + 2Cl$	-0.2675
$H^{\bullet} + 2H^{\bullet} + 2e \rightarrow N + HO$	1.766	$PbF_{2} + 2e \rightleftharpoons Pb + 2F$	-0.3444
$\mathbf{x}^{-1} \mathbf{x}^{-1} \mathbf{x}^{-1} \mathbf{x} \mathbf{x}^{-1} \mathbf{x}^{-1}$	2.65	PbHPO ₄ + 2 e \rightleftharpoons Pb + HPO ₂ -	-0.465
# 1 2 € € 2 NO:	0.867	Pbl ₂ + 2 e ⇒ Pb + 2 Γ PbO + HO + 2 a → Pb + 2 OF	-0.365
$0_4 + 2 H^+ + 2 e \rightleftharpoons 2 HNO_2$	1.065	PbO + H ₂ O + 2 e \rightleftharpoons Pb + 2 OH ⁻ PbO ₂ + 4 H ² + 2 e \rightleftharpoons Pb ²⁺ + 2 H ₂ O	-0.580
\bullet	1.035	$HPbO_7^7 + H_2O + 2e \Rightarrow Pb + 3OH^7$	1.455
$T H' + 2e \rightarrow N H + 2 2 H O$	1.42	$PbO_2 + H_2O + 2e \rightleftharpoons PbO + 2OH$	-0.537
2 + 2 c = N ₂ O ₂ -	0.10	$PbO_2 + SO_4^{2-} + 4 H^+ + 2 e \rightleftharpoons PbSO_4 +$	0.247 1.6913
$0 + 2 H^+ + 2 e \Rightarrow N_2O + H_2O$	1.591	2 H ₂ O	1.0713
$H_{2O} + H_{2O} + 2 e = N_{2O} + 2 OH$	0.76	$PbSO_a + 2e \rightleftharpoons Pb + SO_a^2$	-0.3588

Table 1 (continued) ALPHABETICAL LISTING

Reaction

Se + $2 H^+ + 2 e \rightleftharpoons H_2Se(aq)$

WO2 + 41

WO, + 61

Cal

Cs

E°, V

Reaction

 $SbO_{i}^{-} + H_{2}O + 2 e \rightleftharpoons SbO_{i}^{-} + 2 OH^{-}$

 $Sc^{3+} + 3e \rightleftharpoons Sc$

 $Se + 2e \rightleftharpoons Se^{2}$

į

11/11/11

m 00 + 2 - → Pb(Un) + 502-	~0.3505	$Se + 2H^+ + 2e \rightleftharpoons H_2Se(aq)$	-,037	WO ₃ + 61
POSO4 + 2 E - 10(11g) + 501	0.951	$H_2SeO_3 + 4 H^+ + 4 e \rightleftharpoons Se + 3 H_2O$	-00	2 WO ₃ +
$Pd^{2^{*}} + 2e \rightleftharpoons Pd$	0.591	$SeO_3^{2-} + 3 H_2O + 4 e \rightleftharpoons Se + 6 OH^{-}$	-026	1 vo+ + 3 c
$[PdCl_4]^T + 2e \rightleftharpoons Pd + 4C\Gamma$	1.288	$SeO_4^{2-} + 4 H^+ + 2 e \rightleftharpoons H_2SeO_3 + H_2O$	HIS	Zn2+ + 2
$[PdCl_d]^2 + 2 e \rightleftharpoons [PdCl_d]^2 + 2 C\Gamma$	0.07	$SeO_4^{2-} + H_2O + 2 e = SeO_3^{2-} + 2 OH^{-}$	0.03	$Zn^2 + 2$
$Pd(OH)_2 + 2e \rightleftharpoons Pd + 2OH$	1.118	SiF2- + 4 e = Si + 6 F	- (22)	
$P_1^{2+} + 2e \rightleftharpoons P_1$ $[P_1Cl_4]^T + 2e \rightleftharpoons P_1 + 4C\Gamma$	0.755	SiO_2 (quartz) + 4 H ⁺ + 4 e \rightleftharpoons Si + 2 H ₂ O	0.85	C
$[PiCl_a]^r + 2e \rightleftharpoons [PiCl_a]^r + 2C\Gamma$	0.68	SiO_2^3 + 3 H ₂ O + 4 e \rightleftharpoons Si + 6 OH	-1.69	REDU
$P(OH)_2 + 2e \rightleftharpoons Pt + 2OH$	0.14		-0.137	*
$Pu^{3+} + 3e \rightleftharpoons Pu$	-2.031	$Sn^{2+} + 2e \rightleftharpoons Sn$ $Sn^{4+} + 2e \rightleftharpoons Sn^{2+}$	0.151	Ē
$Pu^{4+} + e \rightleftharpoons Pu^{3+}$	1.006	$HSnO_2^- + H_2O + 2e \rightleftharpoons Sn + 3 OH^-$	-0.909	
$Pu^{5+} + e \rightleftharpoons Pu^{4+}$	1.099	$Sn(OH)_6^2 + 2e \rightleftharpoons HSnO_2^2 + 3 OH^2 +$	-0.03	2 H+ + 2
$PuO_2(OH)_2 + 2 H^+ + 2 e \rightleftharpoons Pu(OH)_4$	1.325			Cul ₂ + c
$PuO_2(OH)_2 + H^+ + e \rightleftharpoons PuO_2OH + H_2O$	1.062	H ₂ O	-4.10	Ge** + :
$Rb^+ + e \rightleftharpoons Rb$	-2.98	Sr+ + e ⇌ Sr . Sr²+ + 2 e ⇌ Sr	-2.89	NO. + H
$Re^{3+} + 3e \rightleftharpoons Re$	0.300	$Sr^2 + 2e \rightleftharpoons Sr(Hg)$	-1.793	тьо, +
$ReO_4^- + 4 H^+ + 3 e \rightleftharpoons ReO_2 + 2 H_2O$	0.510	$Sr(OH)_2 + 2e \rightleftharpoons Sr + 2OH$	-2.88	SeO₄ +
$ReO_2 + 4 H^+ + 4 e \Rightarrow Re + 2 H_2O$	0.2513	$Ta_2O_5 + 10 H^+ + 10 e \rightleftharpoons 2 Ta + 5 H_2O$	- 0.750	UO2+ +
$ReO_4^+ + 2 H^+ + e \rightleftharpoons ReO_3 + H_2O$	0.768	$Tc^{2+} + 2e \rightleftharpoons Tc$	0.400	Pd(OH) ₂
$ReO_4^- + 4 H_2O + 7 e \rightleftharpoons Re + 8 OH^-$	-0.584	$TcO_2^- + 4 H^+ + 3 e \rightleftharpoons TcO_2 + 2 H_2O$	0.782	AgBr +
ReO4 + 4 H ₂ O + 7 c = 10 + 4 H O	0.368		-1.143	S.O. +
$ReO_4^- + 8 H^+ + 7 e \rightleftharpoons Re + 4 H_2O$	0.600	Te + 2 e \rightleftharpoons Te ^r Te + 2 H ⁺ + 2 e \rightleftharpoons H ₂ Te	-0.793	AgSCN
$Rh^+ + e \rightleftharpoons Rh$	0.600	Te ⁴⁺ + 4 e = Te	0.568	$N_2 + 2$
$Rh^{2+} + 2e \rightleftharpoons Rh$	0.758	$TeO_2 + 4H^+ + 4e \rightleftharpoons Te + 2H_2O$	0.593	HgO +
$Rh^{3+} + 3e \rightleftharpoons Rh$	0.431	$TeO_3^2 + 3H_2O + 4e \rightleftharpoons Te + 6OH$	-0.57	lr ₂ O ₃ +
$[RhCl_6]^3$ + 3 e \rightleftharpoons Rh + 6 Cl	0.455	$TeO_1^- + 8 H^+ + 7 e \rightleftharpoons Te + 4 H_2O$	0.472	2 NO +
$Ru^{2+} + 2e \rightleftharpoons Ru$	0.2487	TeO, + 8 H + 7 & = 1e + 4 120	1.02	[Co(NH
$Ru^{3+} + e \rightleftharpoons Ru^{2+}$ $RuO_2 + 4 H^+ + 2 e \rightleftharpoons Ru^{2+} + 2 H_2O$	1.120	$H_6 TeO_6 + 2 H^+ + 2 e = TeO_2 + 4 H_2O$	-1.899	Hg ₂ O +
$RuO_2 + 4H^2 + 2e \leftarrow Ru + 2 II_2 $	0.59	$Th^{4+} + 4e \rightleftharpoons Th$	-1.789	Ge** +
$RuO_4^- + e \rightleftharpoons RuO_4^{2-}$	1.00	$ThO_2 + 4 H^+ + 4 e \rightleftharpoons Th + 2 H_2O$	-2.48	Hg ₂ Br ₂
$RuO_4 + e \rightleftharpoons RuO_4^-$	-0.47627	$Th(OH)_4 + 4e \rightleftharpoons Th + 4OH$	-1.630	Pt(OH);
$S + 2e \rightleftharpoons S^{r}$	0.142	$Ti^{2+} + 2e \rightleftharpoons Ti$	-0.368	S + 21
$S + 2H^+ + 2e \rightleftharpoons H_2S(aq)$	-0.478	$Ti^{3+} + e = Ti^{2+}$ $TiO_2 + 4 H^+ + 2 e = Ti^{2+} + 2 H_2O$	-0.502	Np4+ +
$S + H_2O + 2e \rightleftharpoons HS^- + OH^-$	-0.42836	$TiOH^{3+} + H^{+} + e \rightleftharpoons Ti^{3+} + H_{2}O$	- 0.0 55	Ag [Fe
$2S + 2e \rightleftharpoons S_2^{2-}$			- 0.336	105 +
$S_2O_6^{2-} + 4 H^+ + 2 e \rightleftharpoons 2 H_2SO_3$	0.564	$TI^* + e \rightleftharpoons TI$	- 0.3338	Mn(Oi
$S_2O_4^{2-} + 2 e \rightleftharpoons 2 SO_4^{2-}$	2.010	Tl* + c ⇌ Π(Hg) Tl* + 2 c ⇌ Π*	1.252	2 NO ₂
$S_2O_1^2 + 2 H^4 + 2 e = 2 HSO_1^2$	2.123	$T1Br + e \rightleftharpoons T1 + Br$	- 0.658	Sn**
$S_4O_6^{2-} + 2 e \rightleftharpoons 2 S_2O_3^{2-}$	0.08		- 0.5568	Sb ₂ O ₃
$2 H_2SO_3 + H^+ + 2 e = HS_2O_4^- + 2 H_2O$	-0.056	TICI + e = TI + CΓ	-0.752	Cu2*
$H_2SO_3 + 4 H^+ + 4 e \rightleftharpoons S + 3 H_2O$	0.449	TII + e = TI + Γ TI ₂ O ₃ + 3 H ₂ O + 4 e = 2 TI* + 6 OH	0.02	BiOC BiOC
$2 SO_3^{2-} + 2 H_2O + 2 e \rightleftharpoons S_2O_4^{2-} + 4 OH^{-}$	-1.12	11203 + 3 H2O + 46 = 2 11	-0.34	Bi(Cl)
$2 SO_3^2 + 2 H_2O + 2 e = S_2O_3^2 + 6 OH$	-0.571	TIOH + e \rightleftharpoons TI + OH TI(OH) ₃ + 2 e \rightleftharpoons TIOH + 2 OH	-0.05	Co(O
2 SO ₃ + 3 H ₂ O + 4 e = 5 ₂ O ₃ + 0 OH	0.172	TI(OH) ₃ + 2e = 1011 + 2011	- 0.436 0	SO:
$SO_4^{2-} + 4 H^4 + 2 e \rightleftharpoons H_2SO_3 + H_2O$	-0.22	$T_1SO_4 + 2e \rightleftharpoons T_1 + SO_4^T$	-1.798	g SPO.
$2 SO_4^{2-} + 4 H^+ + 2 e = S_2O_6^{2-} + H_2O$		$U^{3+} + 3e \rightleftharpoons U$	-0.607	AgCl
$SO_4^{2-} + H_2O + 2 e = SO_3^{2-} + 2 OH^{-}$	-0.93	$U^{4+} + e \rightleftharpoons U^{3+}$ $UO_2^+ + 4 H^+ + e \rightleftharpoons U^{4+} + 2 H_2O$	0.612	As ₂ O
$Sb + 3 H^+ + 3 e \rightleftharpoons SbH_3$	-0.510		0.062	Calo
$Sh.O. + 6 H^{+} + 6 e \rightleftharpoons 2 Sb + 3 H_{2}O$	0.152	$UO_2^{2+} + e \rightleftharpoons UO^{+},$	0.327	Ge2+
Sb_2O_5 (senarmontite) + 4 H ⁺ + 4 e \rightleftharpoons Sb_2O_5	, 0.671	$UO_2^{2^+} + 4 H^+ + 2 e \rightleftharpoons U^{4^+} + 2 H_2O$	-1.444	Calo
+ 2 H ₂ O		$UO_2^{2+} + 4 H^+ + 6 e \rightleftharpoons U + 2 H_2O$	_1.175	РьО
Sb_2O_3 (valentinite) + 4 H ⁺ + 4 e \rightleftharpoons Sb_2O_3	0.649	$V^{2+} + 2e \rightleftharpoons V$	-0.255	HAs
+ 2 H ₂ O	. 0 601	V³+ + e ≠ V²+	0.337	Ru ³
$Sb_2O_5 + 6 H^+ + 4 e = 2 SbO^+ + 3 H_2O$	0.581	$VO^{2+} + 2 H^+ + e = V^{3+} + H_2O$	0.991	Re(
$SbO^{+} + 2H^{+} + 3e \rightleftharpoons Sb + 2H_{2}O$	0.212	$VO_{\bullet}^{\bullet} + 2 H^{\bullet} + e \rightleftharpoons VO^{2^{\bullet}} + H_2O$	1.00	105
$SbO_2^- + 2 H_2O + 3 e \rightleftharpoons Sb + 4 OH$	-0.66	$V(OH)_{4}^{+} + 2 H^{+} + e \rightleftharpoons VO^{2+} + 3 H_{2}O$		Hg
$ShO^{-} + HO + 2e = ShO^{-} + 2OH^{-}$	- 0.59	11010 + 4 110 + 5 a - V + 4 H-O	-0.254	6

 $V(OH)_4^+ + 4 H^+ + 5 e \rightleftharpoons V + 4 H_2O$

 $W_2O_3 + 2 H^+ + 2 e \rightleftharpoons 2 WO_2 + H_2O$

-2.077

-0.924